

# NEW FLORA OF THE BRITISH ISLES, Ed. 4

by Clive Stace

## CORRECTIONS INCORPORATED INTO AUGUST 2019 REPRINT

Replaced items in red

Replacement items in blue

Name changes

Page	
vii	Last line, for <i>Carex caespitosa</i> read <i>Carex cespitosa</i>
viii	Line 2, for <i>Mimulus peregrinus</i> read <i>Erythranthe peregrina</i>
xxx	Add after line 15, <b>cultd</b> - cultivated
53	Line 14, for <b>Intrd</b> read <b>Neophyte</b>
54	Line 1 up, for <b>8-10, seeds winged or unwinged</b> read <b>6-12, if &lt;8 then seeds unwinged</b>
56	Line 8 up, for <b>dolobrata</b> read <b>dolabrata</b>
60	Line 22, delete <b>pairs of</b> For <b>only 2</b> read <b>only the middle 2</b>
60	Line 13 up, delete <b>pairs of</b>
66	Couplet 33, for <i>Glaux</i> read <i>Lysimachia</i>
81	Couplet 12, first lead, to read <b>Ovary 3-celled</b>
81	Couplet 12, second lead, to read <b>Ovary 1-2-celled</b>
81	Couplet 18, first lead, to read <b>Leaves simple; flowers pinkish-purple (Cercidoideae)</b>
81	Couplet 18, second lead, to read <b>Leaves ternate; flowers yellow (Thermopsis)</b>
106	Line 21, after <i>aggregata</i> ) add - <i>Carmine Barberry</i>
112	Lines 7-8, for <b>scattered in Br, mainly S, N to C, S Ir,</b> read <b>scattered in mainland Br, Man, S Ir,</b>
129	Line 19, after <b>ornament;</b> add <b>scattered in En N to Cheshire;</b>
130	Line 12, for <b>fruits mostly 3-6 per cluster</b> read <b>fruit clusters of mostly 3-6</b>
142	Line 20 up, for <b>Soldanao</b> read <b>Soldano</b>
146	Line 7, for <i>Aeonium</i> read <i>Aeoniums</i>
155	Lines 3, 7, 9, 14 & 23, for <i>Albizia</i> read <i>Paraserianthes</i>
162	Line 5, for <b>leaves</b> read <b>leaflets</b>
199	Line 28, for <b>DASYPHORA</b> read <b>DASIPHORA</b>
212	Line 22 up, for <b>Borkh.</b> read <b>(Suckow) Borkh.</b>
220	Line 20 up, for <b>1.5-2.2</b> read <b>1.5-2.2x</b>
234	Line 12 up, for <b>petals 8-10mm</b> read <b>flowers 8-10mm across</b>
234	Line 11 up, for <b>petals 10-12mm</b> read <b>flowers 10-12mm across</b>

235	Line 22, add ; inflorescence with 2-7 flowers
246	Lines 11-12, for c.7-9 and 4-6 read 8-10 and 8-10 respectively
246	Line 13 up, for subglobose read depressed-globose
246	Line 11 up, for Schneid read Schneid.
249	Line 1, for En read Br
257	Line 17, for <i>Dasyphora</i> read <i>Dasiphora</i>
262	Line 11, after biennial add or perennial
293	Line 8, after ( add <i>R. obtusifolia</i> Desv.,
294	Line 5 up, after Cards, add Berks,
295	Line 6 up, for (Christ) Christ read Christ ex Gremli
316	Line 6 up, for 1 x 3 read 1 x 4
317	Line 8, for 2 x 3 read 2 x 4
329	Line 19, for Intrad read Neophyte
346	Couplet 13, for 4. S. x fragilis read 5. S. x fragilis
362	Line 18, for 16-21 read 16-20
370	Line 1 up, for denizen read natd
376	Line 15 up, for 6 petals, read (0-)6 petals and (4-)6
379	Line 24, for <2mm wide, <2(3)cm read ≤20 x 2mm
385	Line 11, for 1.5mm read 2mm
386	Line 9, for Michx. read Hook. & Arn.
395	Line 3, for Caprifoliaceae read Adoxaceae
395	Line 15, at end of line, for 5 read 6
465	Lines 12-13, for 1889-1993, perhaps now extinct read 1889-present
466	Line 13 up, for <i>Montia</i> or <i>Peplis</i> read <i>Montia fontana</i> or <i>Lythrum portula</i>
487	Line 19, for hybrida read tenuifolia
492	Line 24 up, after (1978) add ; Europe
520	Line 1 up, for <i>scraderiana</i> read <i>schraderiana</i>
521	Line 14, for (L.) ined. read (L.) Stace
574	Line 9 up, for rare casual elsewhere, decreasing read possibly increasing as casual
582	Line 15, after alternate add or opposite
624	Line 2 up, for Cambs read S Hants, Cambs, S Lancs
683	Line 24, for RR\$ read RRR in right hand margin
691	Line 9 up, for A. pseudokernerii read E. pseudokernerii
757	Line 30, for formerly N En read Derbys and Staffs
768	Line 21, for Wight read Wight and Tresco (Scilly)
865	Header, for 321 read 32
878	Line 8 up, for Intrad read Neophyte
968	Line 14 up, for S Wa read S & N Wa
968	Line 13 up, delete Flints,
1014	Line 11, for Lake District read Westmorland, Cumberland
1020	Line 6 up, for deterrmined read determined
1051	Line 13, for F. brevipila read F. trachyphylla
1051	Lines 6 & 7 up, for <i>F. brevipila</i> read <i>F. trachyphylla</i>

1057	Line 7, for <b>F. brevipila R. Tracey</b> read <b>F. trachyphylla (Hack.) R.P. Murray</b>
1057	Line 7, for <b>F. trachyphylla (Hack.) Krajina non (Hack.) ex Druce</b> Read <b>F. brevipila R. Tracey</b>
1123	Line 7, for <b>1-seeded</b> read <b>usually 1-seeded</b>
1125	After line 6, add <b>chasmogamous - of flowers, opening normally, not cleistogamous</b>
1127	Line 15, for <b>along 1 side</b> read <b>along usually 1 side</b>
1141	Col 2, line 17 up, for <b>789</b> read <b>792</b>
1142	Col 1, above line 9 up, add <b>Aeoniums, 146</b>
1151	Col 1, after line 2, add <b>Carmine, 106</b>
1160	Col 2, line 16 up, add <b>, 1018</b>
1169	Col 1, line 24 up, for <b>Schneid</b> read <b>Schneid.</b>
1178	Col 2, line 35, for <b>(L.) ined.</b> read <b>(L.) Stace</b>
1187	Col 2, line 20 up, for <b>brevipila R. Tracey, 1055FIG,</b> Read <b>brevipila R. Tracey,</b>
1188	Col 1, line 13 up, for <b>trachyphylla (Hack.) Krajina non Hack. ex Druce</b> Read <b>trachyphylla (Hack.) R.P. Murray, 1055FIG,</b>
1204	Col 1, line 31, for <b>172</b> read <b>173</b>
1209	Col 2, line 24 up, for <b>Borkh.</b> read <b>(Suckow) Borkh.</b>
1217	Col 1, for <b>172</b> read <b>175</b> in all 16 entries under <b>ONONIS</b>
1233	Col 1, for <b>172</b> read <b>175</b> in all 7 entries under <b>Restharrow</b>
1235	Col 2, line 8, for <b>(Christ) Christ</b> read <b>Christ ex Greml</b>
1235	Col 2, above line 3 up, add <b>obtusifolia Desv., 293</b>
1256	Col 2, line 27 up, for <b>dolobrata</b> read <b>dolabrata</b>
1258	Col 1, line 1 up, for <b>Rouy).</b> , read <b>Rouy,</b>
1261	Col 2, line 35, for <b>Richt.</b> read <b>Richt.)</b>

Clive Stace  
C & M Floristics  
18-06-2019